

I-HABC-2105PI-L

| 1080p AHD Fixed Lens IR Bullet Camera

Featuring the advanced Analog High Definition (AHD) video technology, I-HABC-2105PI-L is a HD analog camera which provides 1080P (1920 x 1080) sharp, high definition images. The AHD technology ensures real-time and non compressed signal transmission via coaxial cable, which significantly reduces installation cost and provides much sharper Images without video quality loss.



I-HABC-2105PI-L

MARKET OPPORTUNITIES

The I-HABC-2105PI-L cameras are cost effective surveillance solutions suitable for both indoor and outdoor applications, including schools, colleges, hotels, hospitals, commercial sites, retail stores, warehouses, banks and so on. Featuring 6MM built-in lens, 1080P resolution, TDN function and IR night vision. It is also ideal for easy and cost-effective upgrade of existing analog system to high definition surveillance.

FEATURES AND BENEFITS



- 1080P real time high resolution



- CMOS progressive scan



- True day/night capability




- Minimum illumination: 0 Lux (IR ON)



- TDN (IR-cut), AWB, AGC, Defog



- 6MM lens



- IR distance: upto 30 meters



- Power: 12VDC




- 4 in 1, AHD,TVI,CVI, CVBS output

SPECIFICATIONS

CAMERA	I-HABC-2105PI-L
Signal System	PAL
Image Sensor	1/2.9" 2 MP Hi-Resolution Image Sensor
Effective Pixel	1920(H)x1080(V)
Horizontal Resolution	1080P @25FPS
IR	IR Distance Up to 30M
Lens Furnished	6mm
Angle Of View	70.9°
Lens Interface	M12
Signal/Noise Ratio	More than 80dB
Shutter Control	1/25 sec to 1/1,00,000 sec
Min Illumination	0.001Lux @ (F1.2,AGC ON), 0 Lux (IR LED ON)
Synchronisation	Internal
White Balance	Auto
Back Light Compensation	Auto
Gain Control	Auto
Video Output Signal	Switchable video signal: HD-TVI/AHD/HD-CVI/CVBS
Audio	NA
Transmission Distance	Up to 500m over coaxial cable
Operating Conditions	-10°C ~ +60°C, Humidity 90% or less (non-condensing)
Power Supply	DC 12V ± 10%
Current , Power Consumption	250mA, Max 3.5W
Dimension (Lxwxh) , Weight	205mm x 70mm x 70mm, 330 g
Housing	Plastic
Safety	IP66 Compliance

Note: Honeywell reserves the right, without notification, to make changes in product design and/or specifications.

DIMENSIONS



For more information,

www.honeywellbuildings.in
 Call: 000-8000-502167
 Email: enquiry.mms@honeywell.com

Honeywell HBT India Buildings

Unitech Trade Center, 5th Floor, Sector-43,
 Block C, Sushant Lok Phase - I,
 Gurgaon - 122 002.

I-HABC-2105PI-L | 01 | 09/21
 © 2021 Honeywell International Inc.

IMPACT
 by Honeywell